

7 References

Part 1—Introduction

- Commonwealth of Australia (1992). *National Strategy for Ecologically Sustainable Development*. DEST: Canberra.
- Commonwealth of Australia (1995). *Interim biogeographic regionalisation for Australia: a framework for setting priorities in the national reserves system cooperative program*. Ed. R Thackway and ID Cresswell, ANCA: Canberra.
- Commonwealth of Australia (1996). *National Strategy for the Conservation of Australia's Biological Diversity*. DEST: Canberra.
- Cotter, B and Hannan, K (Environs Australia) (1999). *Our community our future: a guide to Local Agenda 21*. Commonwealth of Australia: Canberra.
- DUAP and EDAW (1998). *Georges River Catchment Regional Environmental Study No. 1—River Health*. Prepared on behalf of the NSW Department of Urban Affairs and Planning. DUAP: Sydney.
- DUAP (1999). 'Greater Metropolitan Regional Environmental Plan No. 2—Georges River Catchment', in: *Shaping the Georges River Catchment*. DUAP: Sydney.
- Interim Marine and Coastal Regionalisation for Australia Technical Group (1998). *Interim Marine and Coastal Regionalisation for Australia: an ecosystem-based classification for marine and coastal environments*. Version 3.3. Environment Australia, Commonwealth Department of Environment: Canberra.
- NSW Fisheries (2001). *Estuary general fishery—environmental impact statement*. NSW Fisheries: Sydney.
- NSW Government (1999). *NSW biodiversity strategy—biodiversity—life's variety*. NSW National Parks and Wildlife Service: Sydney.
- NVAC (1999). *Setting the scene—the native vegetation of NSW*. NVAC Background Paper No. 1. J Benson, Royal Botanic Gardens Sydney, for the Native Vegetation Advisory Council of NSW. Department of Land and Water Conservation: Sydney.
- Poiner, IR & Peterkin, C (1995). *State of the marine environment report for Australia: seagrasses, Technical Annex 1*. CSIRO Division of Fisheries: Brisbane.
- SROC (1997). *Green Web Sydney*. Sydney Regional Organisation of Councils: Sydney.
- Tourism NSW (2000). *Annual Report 1999–2000*. Tourism NSW: Sydney.
- UNCED (1992a). *Convention on biological diversity—a global biodiversity strategy* (Earth Summit), Rio de Janeiro: Brazil <<http://www.biodiv.org>>.

UNCED (1992b). *Agenda 21—a convention of sustainable development*. United Nations Conference on Environment and Development: Rio de Janeiro, Brazil <<http://www.un.org/esa/sustdev>>.

Part 2—Study area

ABS (2002). *Regional population growth—Australia and New Zealand*. Australian Bureau of Statistics: Sydney.

Brown, KW & DH Caldwell. (1971). Water quality modelling of the Georges River system. Consultant's report for the Metropolitan Water Sewerage and Drainage Board, Sydney.

Chapman, GA & Murphy, CL (1989). Soil landscapes of the Sydney 1:100 000 sheet. Soil Conservation Service of NSW. Department of Land and Water Conservation: Sydney.

Florence, TM, Moody GD & Whitelaw, GJ (1999). Assessment of the health of the Georges River. Unpublished report to the Georges River Combined Councils. 39 pp.

Hazelton, PA & Tillie, PJ (1990). *Soil landscapes of the Wollongong—Port Hacking 1:100 000 sheet*. Soil Conservation Service of NSW. Department of Land and Water Conservation: Sydney.

Hill, L & M Harris. (1991). Water facts. NSW Water Resources Council, Parramatta, NSW.

HRC (2000). Independent inquiry into the Georges River—Botany Bay system, Draft report. 178 pp. Healthy Rivers Commission of New South Wales: Sydney.

Larkum, AWD & West, RJ (1990). Long-term changes of seagrass meadows in Botany Bay, Australia. *Aquatic Botany*, vol. 37, pp. 55–70.

Maclean, A (2000). Inter- and intra-bioregional comparisons of New South Wales Estuarine Fish Assemblages. Honours in Applied Science, University of Canberra. 128 pp.

McGuinness, K (1988). The ecology of Botany Bay and the effects of man's activities: a critical synthesis. Unpublished report by the Institute of Marine Ecology, the University of Sydney. 115 pp.

NSW Fisheries (2001a). Botany Bay—Recreational fishing areas: Botany Bay Issues Paper <<http://www.fisheries.nsw.gov.au/recreational/rfa>>.

NSW Fisheries (2001b). Recreational fishing areas: Community consultation report for Botany Bay <<http://www.fisheries.nsw.gov.au/recreational/rfa>>.

NSW Fisheries (2001c). *Estuary general fishery—environmental impact statement*. NSW Fisheries: Sydney.

DIPNR and NPWS (2001). Georges River catchment environmental study No.2—Biodiversity—Volume 2 (Terrestrial Biodiversity). DIPNR and the NSW National Parks and Wildlife Service. In *Sharing the Georges River Catchment*. DIPNR: Sydney.

Rish, S (1992). Analysis of long-term Georges River water quality data, 1969 to 1990. AWT Science and Environment. AWT Report No. 92/44.

Roy, PS (1983). 'Quaternary geology', in: *Geology of the Sydney Region, 1:100 000 sheet*. (C Herbert, ed.). New South Wales Department of Mineral Resources. 225 pp.

- Roy, PS (1984). 'New South Wales estuaries—their origin and evolution',. in: *Developments in coastal geomorphology in Australia*. (BG Thom, ed.). Academic Press, New York, pp. 99–121.
- Roy, PS, Williams, RJ, Jones, AR, Yassini, I, Gibbs, PJ, Coates, B, West, RJ, Scanes, PR, Hudson JP & Nichol, S (2001). 'Structure and function of southeast Australian estuaries', *Estuarine, Coastal and Shelf Science*, vol. 53, pp. 351–384.
- Smith, G (1998). State of Botany Bay. Report prepared for Sutherland Shire Council. 20 pp.
- Smith, TF, Sant, M & Thom B 2001. Australian estuaries: a framework for management. Cooperative Research Centre for Coastal Zone, Estuary and Waterway Management. Indooroopilly, Qld. 64 pp.
- State Pollution Control Commission (1978a). Bottom sediments of Botany Bay. Environmental Control Study of Botany Bay. BBS 2. September 1978. SPCC: Sydney.
- State Pollution Control Commission (1978b). Seagrasses of Botany Bay. Environmental Control Study of Botany Bay. BBS 3. September 1978. SPCC: Sydney.
- State Pollution Control Commission (1979a). Wetlands of Botany Bay and its tidal waters. Environmental Control Study of Botany Bay. BBS 6. March 1979. SPCC: Sydney.
- State Pollution Control Commission (1979b). Effects of dredging on macrobenthic communities of Botany Bay. Environmental Control Study of Botany Bay. BBS 10. March 1979. SPCC: Sydney.
- State Pollution Control Commission (1979c). Turbidity of Botany Bay and Georges River. Environmental Control Study of Botany Bay. BBS 9. May 1979. SPCC: Sydney.
- State Pollution Control Commission (1979d). Soil erosion potential in the Upper Georges River Catchment. Environmental Control Study of Botany Bay. BBS 14. May 1979. SPCC: Sydney.
- State Pollution Control Commission (1979e). Soil erosion potential in the Menai area. Environmental Control Study of Botany Bay. BBS 15. May 1979. SPCC: Sydney.
- State Pollution Control Commission (1979f). Nutrients and phytoplankton in Georges River. Environmental Control Study of Botany Bay. BBS 11. July 1979. SPCC: Sydney.
- State Pollution Control Commission (1979g). Commercial fisheries and oyster cultivation. Environmental Control Study of Botany Bay. BBS 21. November 1979. SPCC: Sydney.
- State Pollution Control Commission (1981d). Amateur angling in Botany Bay. Environmental Control Study of Botany Bay. BBS 24. December 1981. SPCC: Sydney.
- State Pollution Control Commission. (1982). Water resource management plan of Botany Bay and its tributaries. Environmental Control Study of Botany Bay. August 1982. SPCC: Sydney.
- Walford, FA & Williams, RJ (1998). Inventory of estuarine vegetation in Botany Bay, with special reference to change in the distribution of seagrass. NSW Fisheries Final Report Series No. 11, 50 pp.
- West, RJ, Thorogood, CA, Walford, TR, & Williams, RJ (1985). Estuarine inventory of NSW Fisheries Bulletin 2. Department of Agriculture, New South Wales. 140 pp.

Williams, RJ, Walford, FA, Taylor, MA & Button, ML (1998). 'New South Wales coastal aquatic estate', *Wetlands (Australia)*, vol. 18, pp. 25–48.

Part 3—Estuarine Vegetation

Adam, P, NC Wilson & B Huntley. (1988). 'Phytosociology of coastal saltmarsh vegetation in New South Wales', *Wetlands (Australia)*, vol. 7, pp. 35–85.

Baker, RGV & Haworth, RJ (1999). 'Evidence for the nature of late Holocene sea-level fall on the New South Wales coast from fixed biological indicators: was the fall smooth or fluctuating?' in: JA Kesby, JM Stanley, RF McLean & LJ Olive (eds.) *Geodiversity: readings in Australian Geography at the close of the 20th century*. IAG, Sydney University.

Baker, RGV & Haworth, RJ (2000). 'Smooth or oscillating late Holocene sea-level curve? Evidence from the palaeo-zoology of fixed biological indicators in east Australia and beyond', *Marine Geology*, vol. 163, pp. 367–386.

Evans, M. and Williams, R.J. (2001). Historical distribution of estuarine wetlands at Kurnell Peninsula, Botany Bay. *Wetlands (Australia)* 19: 61–71.

Fenech, H (1994). Assessment of the estuarine wetland status within the Sutherland Shire. BEnvSc Thesis, Faculty of Science, University of Wollongong.

Florence, TM, Moody GD & Whitelaw, GJ (1999). Assessment of the health of the Georges River. Unpublished report to the Georges River Combined Councils. 39 pp.

Hughes, N (1998). The changing mangrove–saltmarsh boundary: studies in the Sydney district. BSc Honours Thesis, School of Geosciences, University of Sydney.

Hutchings, PA & Recher, HF (1977). 'Management of mangroves in an urban situation', *Marine Research in Indonesia*, vol 18, pp. 1–11.

Larkum, AWD & West, RJ (1990). 'Long-term changes of seagrass meadows in Botany Bay, Australia', *Aquatic Botany*, vol. 37, pp. 55–70.

McLoughlin, L (2000). 'Estuarine wetlands distribution along the Parramatta River, Sydney, 1788–1940: implications for planning and conservation', *Cunninghamia*, vol. 6, pp. 579–610.

Meehan, AJ & West, RJ (2000). 'Recovery times for a damaged *Posidonia australis* bed in south eastern Australia', *Aquatic Botany*, vol. 67, pp. 161–167.

Mitchell, ML & Adam, P (1989). 'Decline of saltmarsh in Botany Bay', *Wetlands (Australia)*, vol. 8, pp. 55–60.

Mitsch, WJ (2000). 'Self-design applied to coastal restoration. An application of ecological engineering', JA in: *Concepts and Controversies in Tidal Marsh Ecology* (MP Weinstein M.P. & DA Keeger, eds.). Klumer: Dordrecht. pp. 554–564.

NPWS (2000). Native vegetation of the Cumberland Plain. Technical Report, CRA Unit, Sydney Zone. NPWS: Hurstville.

Patterson Britton and Partners in association with Muston and Associates (2001). Salt Pan Creek, study of the effects of estuary restrictions. Draft report to Sydney Water, Hurstville City Council, Canterbury City Council, Bankstown City Council and Roads and Traffic Authority. 31 pp. plus figures and appendices.

- Roberts, IA (1999). Cumberland plain woodland recovery plan: Air photo interpretation and data capture. Unpublished report to NSW National Parks and Wildlife Service by Earth Resource Analysis Pty Ltd.
- Saintilan, N & Williams, RJ (1999). 'Mangrove transgression into saltmarsh environments in south-east Australia', *Global Ecology and Biogeography*, vol. 8, pp. 117–124.
- Saintilan, N & Williams, RJ (2000). 'Short note: Decline of saltmarsh in southeast Australia: results of recent surveys', *Wetlands (Australia)*, vol. 18, pp. 49–54.
- Sainty, GR & Jacobs, SWL (1981). *Waterplants of New South Wales*. Water Resources Commission of New South Wales.
- Stevenson, JC, Rooth, JE, Kearney, MS & Sundberg, KL (2000). 'Health and long term stability of natural and restored marshes in Chesapeake Bay', in: *Concepts and Controversies in Tidal Marsh Ecology* (MP Weinstein & DA Keeger, eds.). Klumer: Dordrecht. pp. 709–735.
- Underwood, A.J. and Hutchings, P. (1987). *Australian Seashores*. William Collins Pty. Ltd.
- Vanderzee, MP (1988). 'Changes in saltmarsh vegetation as an early indication sea-level rise', in: *Greenhouse: Planning for Climate Change* (GI Pearman, ed.). CSIRO: Melbourne. pp. 147–160.
- Walker, J (1968). *Forby Sutherland: The Endeavour*. Sutherland Shire Historical Society, Sutherland.
- Watford, FA & Williams, RJ (1998). Inventory of estuarine vegetation in Botany Bay, with specific reference to change in the distribution of seagrass. NSW Fisheries Final Report Series No. 11, 50 pp.
- Weinstein, MP, Philipp, KR & Goodwin, P (2000). 'Catastrophes, near-catastrophes and the bounds of expectation: success criteria for macroscale marsh restoration', in: *Concepts and Controversies in Tidal Marsh Ecology* (MP Weinstein & DA Keeger, eds.). Klumer: Dordrecht. pp. 777–804.
- West, RJ (1993). Estuarine fish resources of two south eastern Australian rivers. PhD thesis, University of New South Wales. 197 pp.
- West, RJ, Thorogood, CA & Williams, RJ (1983). 'Environmental stress causing mangrove 'dieback' in NSW', *Australian Fisheries*, vol. 42, pp. 16–20.
- West, RJ Thorogood, CA, Walford, TR & Williams, RJ (1985). Estuarine inventory for New South Wales, Australia. Department of Agriculture, NSW. Fisheries Bulletin 2, 140 pp.
- Williams, RJ (1990). 'Projecting a greenhouse rise in sea level on saltmarsh and mangrove habitats in New South Wales', *Wetlands (Australia)*, vol. 10, pp. 15–19.
- Wilton, KM & Saintilan, N (2000). Protocols for mangrove and saltmarsh habitat mapping. ACU Coastal Wetlands Unit Technical Report 2000/01. 34 pp.

Part 4—Estuarine fish

- Ferrell, DJ & Bell, JD (1991). 'Differences among assemblages of fish associated with *Zostera capricorni* and bare sand over a large spatial scale', *Marine Ecology Progress Series* 72, pp. 15–24.
- Florence, TM, Moody GD & Whitelaw, GJ (1999). Assessment of the health of the Georges River. Unpublished report to the Georges River Combined Councils. 39 pp.
- Larkum, AWD & West, RJ (1990). 'Long-term changes of seagrass meadows in Botany Bay, Australia', *Aquatic Botany*, vol. 37, pp. 55–70.
- Roy, PS (1984). 'New South Wales estuaries—their origin and evolution', in: *Developments in Coastal Geomorphology in Australia* (BG Thom, ed.). Academic Press, New York, pp. 99–121.
- State Pollution Control Commission (1978a). Bottom sediments of Botany Bay. Environmental Control Study of Botany Bay. BBS 2. September 1978. SPCC: Sydney.
- State Pollution Control Commission (1978b). Seagrasses of Botany Bay. Environmental Control Study of Botany Bay. BBS 3. September 1978. SPCC: Sydney.
- State Pollution Control Commission (1979a). Wetlands of Botany Bay and its tidal waters. Environmental Control Study of Botany Bay. BBS 6. March 1979. SPCC: Sydney.
- State Pollution Control Commission (1979b). Effects of dredging on macrobenthic communities of Botany Bay. Environmental Control Study of Botany Bay. BBS 10. March 1979. SPCC: Sydney.
- State Pollution Control Commission (1979c). Turbidity of Botany Bay and Georges River. Environmental Control Study of Botany Bay. BBS 9. May 1979. SPCC: Sydney.
- State Pollution Control Commission (1979d). Soil erosion potential in the Upper Georges River Catchment. Environmental Control Study of Botany Bay. BBS 14. May 1979. SPCC: Sydney.
- State Pollution Control Commission (1979e). Soil erosion potential in the Menai area. Environmental Control Study of Botany Bay. BBS 15. May 1979. SPCC: Sydney.
- State Pollution Control Commission (1979f). Nutrients and phytoplankton in Georges River. Environmental Control Study of Botany Bay. BBS 11. July 1979. SPCC: Sydney.
- State Pollution Control Commission (1979g). Commercial fisheries and oyster cultivation. Environmental Control Study of Botany Bay. BBS 21. November 1979. SPCC: Sydney.
- State Pollution Control Commission (1981a). Ecology of fish in Botany Bay. Environmental Control Study of Botany Bay. BBS 23. March 1981. SPCC: Sydney.
- State Pollution Control Commission (1981b). Ecology of fish in Botany Bay—community structure. Environmental Control Study of Botany Bay. BBS 23A. December 1981. SPCC: Sydney.
- State Pollution Control Commission (1981c). Ecology of fish in Botany Bay—biology of commercially and recreationally valuable species. Environmental Control Study of Botany Bay. BBS 23B. December 1981. SPCC: Sydney.

State Pollution Control Commission (1981d). Amateur angling in Botany Bay. Environmental Control Study of Botany Bay. BBS 24. December 1981. SPCC: Sydney.

Part 5—Freshwater fish

Bray, JR & Curtis, JT (1957). 'Ordination of the upland forest communities of Southern Wisconsin', *Ecological Monographs*, vol. 27, pp. 325–349.

Clarke, KR & Warwick, RM (1994). *Change in Marine Communities: An approach to statistical analysis and interpretation*. Natural Environment Research Council: Plymouth. 176 pp.

Driver, PD, Harris, JH, Norris, RH, & Closs, GP (1997). 'Role of the natural environment and human impacts in determining biomass densities of common carp in New South Wales rivers', in: *Fish and Rivers in Stress—The NSW Rivers Survey* (JH Harris & PC Gehrke, eds.). NSW Fisheries Office of Conservation and the Cooperative Research Centre for Freshwater Ecology: Cronulla and Canberra. pp. 225–250.

Faragher, RA & Rodgers, M (1997). 'Performance of sampling gear types in the New South Wales Rivers Survey', in: *Fish and Rivers in Stress—The NSW Rivers Survey* (JH Harris & PC Gehrke, eds.). NSW Fisheries Office of Conservation and the Cooperative Research Centre for Freshwater Ecology: Cronulla and Canberra. pp. 251–268.

Gehrke, PC & Harris, JH (1996). *Fish and fisheries of the Hawkesbury–Nepean River System*. Final Report to the Sydney Water Corporation. NSW Fisheries Research Institute and Cooperative Research Centre for Freshwater Ecology: Cronulla and Canberra. 266 pp. plus appendices.

Gehrke, PC & Harris, JH (2000). 'Large-scale patterns in species richness and composition of temperate riverine fish communities, South-Eastern Australia', *Marine and Freshwater Research*, vol. 51, pp. 165–82.

Gehrke, PC, Astles, KL & Harris, JH (1999). 'Within-catchment effects of flow alteration on fish assemblages in the Hawkesbury–Nepean River system, Australia', *Regulated Rivers: Research and Management*, vol. 15, pp. 181–198.

Gehrke, PC, Gilligan, DM and Barwick, M (2002). 'Changes in fish communities of the Shoalhaven River 20 years after construction of Tallowa Dam, Australia', *Regulated Rivers: Research and Management*, vol. 18, pp. 265–286.

Growns, IO, Pollard, DA & Harris, JH (1996). 'Comparison of electric fishing and gillnetting to examine the effects of anthropogenic disturbance on riverine fish communities', *Fisheries Management and Ecology*, vol. 3, pp. 13–24.

Growns, IO, Pollard, DA and Gehrke, PC (1998). 'Changes in riverine fish associated with vegetated and degraded banks, upstream of and within nutrient enriched zones', *Fisheries Management and Ecology*, vol. 5, pp. 55–69.

Growns, IO, Astles, KL, Gehrke, PC & Pollard, DA (in press). 'Comparison of fish communities associated with different riparian types in the Hawkesbury–Nepean River system, Australia', *Journal of Fish Management and Ecology*.

Harris, JH & Gehrke, PC (eds.) (1997). *Fish and rivers in stress—The NSW rivers survey*. NSW Fisheries Office of Conservation and the Cooperative Research Centre for Freshwater Ecology: Cronulla and Canberra. 298 pp.

Koehn, J, Brumley, A & Gehrke, PC (2000). *Managing the impacts of carp*. Bureau of Rural Sciences Department of Agriculture, Fisheries and Forestry-Australia: Canberra. 249 pp.

Thorncraft, G & Harris, JH (2000). Fish passage and fishways in New South Wales: A status report. Cooperative Research Centre for Freshwater Ecology Technical Report 1/2000: Canberra. 32 pp.

Part 6—Synthesis, conclusions and recommendations

Department of Urban Affairs and Planning (DUAP) and Michael Williams & Associates Pty. Ltd. (2000). Shaping the Georges River catchment. Towards a biodiversity management framework Workshop Series Report. Report of a series of community workshops hosted by DUAP and NSW National Parks and Wildlife Service.

Florence, TM, Moody, GD & Whitelaw, GJ (1999). Assessment of the health of the Georges River. Unpublished report to the Georges River Combined Councils. 39 pp.

HRC (2000). *Independent inquiry into the Georges River–Botany Bay System*. Draft report, October 2000. Healthy Rivers Commission of NSW: Sydney. 178 pp.

HRC (2001). *Independent inquiry into the Georges River–Botany Bay System*. Final report, September 2001. Healthy Rivers Commission of NSW: Sydney. 94 pp.

Larkum, AWD & West, RJ (1990). 'Long-term changes of seagrass meadows in Botany Bay, Australia', *Aquatic Botany*, vol. 37, pp. 55–70.

Saintilan, N & Williams, RJ (1999). 'Mangrove transgression into saltmarsh environments in south-east Australia', *Global Ecology and Biogeography*, vol. 8, pp. 117–124.

Saintilan, N & Williams, RJ (2000). 'Short note: The decline of saltmarsh in southeast Australia: results of recent surveys', *Wetlands (Australia)*, vol. 18, pp. 49–54.

West, RJ, Thorogood, CA, Walford, TR & Williams, RJ (1985). Estuarine inventory of NSW. Fisheries Bulletin 2. Department of Agriculture, New South Wales. 140 pp.

Glossary

Angermeir, PL and Karr, JR (1994). 'Biological integrity versus biological diversity as policy directives', *Bioscience*, vol. 44, no. 10, pp. 690–697.

Chapman, MG & Underwood, AJ (1995). 'Mangrove forests', in: *Coastal Marine Ecology of Temperate Australia* (AJ Underwood & MG Chapman, eds.). UNSW Press: Sydney. pp 187–204 .

National Parks and Wildlife Service (1997). *Urban bushland biodiversity survey*. National Parks and Wildlife Service: Sydney.

NSW Fisheries (2001). Status of Fisheries Resources 2000/2001. (S Connelly & T McVea, eds.). NSW Fisheries: Cronulla. 314 pp.

Appendices

- ANZECC (2000). *Australian water quality guidelines for fresh and marine waters*, part of the National Water Quality Management Strategy. Australian and New Zealand Environment and Conservation Council: Canberra.
- Evans, M & Williams, RJ (2001). 'Historical distribution of estuarine wetlands at Kurnell Peninsula, Botany Bay', *Wetlands (Australia)*, vol. 19, pp. 61–71.
- Fenech, H (1994). Assessment of the estuarine wetland status within the Sutherland Shire. BEnvSc Thesis, Faculty of Science, University of Wollongong.
- HRC (2001). *Independent inquiry into the Georges River–Botany Bay System*. Final report, September 2001. Healthy Rivers Commission of NSW: Sydney. 94 pp.
- Hughes, N (1998). Changing mangrove–saltmarsh boundary: studies in the Sydney district. BSc Honours Thesis, School of Geosciences, University of Sydney.
- Mitchell, ML & Adam, P (1989). 'Decline of saltmarsh in Botany Bay', *Wetlands (Australia)*, vol. 8, pp. 55–60.
- Saintilan, N & Williams, RJ (1999). 'Mangrove transgression into saltmarsh environments in south-east Australia', *Global Ecology and Biogeography*, vol. 8, pp. 117–124.
- Saintilan, N & Williams, RJ (2000). 'Short note: The decline of saltmarsh in southeast Australia: results of recent surveys', *Wetlands (Australia)*, vol. 18, pp. 49–54.