



NSW Housing Pattern Book

# SEMIS 02

by Sibling Architecture

An uplifting and fresh design  
with living spaces that  
connect to the garden and  
central courtyard



GOVERNMENT  
ARCHITECT  
NEW SOUTH WALES

# About this document

This document explains the specific requirements for the pattern called ‘Semis 02 by Sibling Architecture’. This pattern is part of the NSW Housing Pattern Book as referred to in the State Environmental Planning Policy (Exempt and Complying Development Codes) (Pattern Book Development Code) 2025.

The document provides an overview of what this pattern offers. It explains where housing based on this pattern can be located and how the design can be adjusted to suit user preferences and site requirements within the development standards defined for this pattern.

The technical drawings describe the pattern design in detail. Once you have selected a suitable pattern, you can download the CAD package for use by your architect or accredited designer to prepare your development application.

## Using the pattern book

- 1

You are here:

Explore patterns and engage a designer

Explore the patterns available on the NSW Housing Pattern Book and identify which ones might be suitable to your site and requirements. If you decide to proceed, engage an architect or building designer who will be able to support you through your pattern book development process.
- 2

Select a pattern and adapt it to your site and preferences
- 3

Prepare drawings and information for a planning application
- 4

Lodge a planning application
- 5

Get fast-tracked approval

## Contents

1. Semis 02 by Sibling Architecture	3	3. Technical drawings	16
		LMR housing area option	
		Site plan*	A-301
		Ground floor*	A-302
		First floor*	A-303
		Roof plan*	A-304
		Non-LMR housing area option	
		Site plan and roof plan*	A-311
		Ground floor*	A-312
		First floor*	A-313
		Roof plan*	A-314
		Pattern planning adaptations	
		Pattern adaptations*	A-320 series
		Sections*	A-330 series
		Elevations*	A-340 series
		Character and interior	A-350 series
4. Technical information			
		Services plan*	A-401 series
		Door and window schedule*	A-410 series
		Construction and character details	A-420 series
		Technical information: Compliance calculations	A-430 series

*Note: When you pay the fee, you will receive the technical information PDF, all technical drawings and information in DWG\* formats, BASIX guidance for this pattern, an editable design verification statement and your unique identification number.*

# SEMIS 02

by Sibling  
Architecture

- The architects designed:**
- Individual identity for each home with 2 distinct colours and a step in the facade
  - A courtyard between the kitchen and living room bringing light, fresh air and a green outlook into the centre of the house
  - Living areas with a strong physical and visual connection to the private garden at the rear
  - Efficient and well-planned spaces to maximise the available site area
  - 2 storeys to the street and a single story to the rear to improve amenity to adjoining neighbours
  - Sculptural window hoods to protect from rain and sun
  - Brickwork on the ground floor to create solidity, texture and ensure low maintenance




Rear view from the private garden


## Easy to live in

- The pattern is designed to suit different household types including:
- Young families – The private garden is visible from the living area and a spacious eat-in kitchen is great for kids
  - Grown-up families – The living areas are separated from bedrooms to provide privacy and a teen retreat
  - Extended families – The flexible room on the ground floor can be converted into a guest room or granny flat
  - Ageing in place – Designed to meet Australian Building Codes Board Livable Housing Design Standard or Beyond Minimum Standard to support changing mobility needs
  - Co-living or share houses – Separation between bedrooms, a separate toilet and a variety of living areas can suit shared living arrangements

Ground floor plan



First floor plan



Not to scale




Front view of the design from the street

# For everyone and every place

Suits corner, infill or laneway sites	<b>Permissibility</b> –in low-and mid-rise housing areas and all other locations across NSW where this type of development is allowed
Best suited to north-facing rear yards, with designs optimising solar access for other orientations through courtyards, skylights, and flexible street-facing living spaces	<b>Ownership</b> –suitable for Torrens title
<b>Development type</b> – Dual occupancy	<b>No. of bedrooms</b> –2-Bed, 3-Bed or 4-Bed options
	<b>No. of dwellings</b> –2
	<b>No. of storeys</b> –2


## Base pattern: low- and mid-rise housing areas

Low- and mid-rise housing areas are locations where the Low and Mid-Rise Housing Policy applies. Suits a minimum lot width of 12 m wide and minimum lot area of 450 m<sup>2</sup>.




## Base pattern: sites outside low- and mid-rise housing areas

Sites outside low- and mid-rise housing areas are all other locations throughout NSW where this type of development is permitted with consent. They are referred to in the patterns as non-low- and mid-rise housing areas. Suits a minimum lot width of 15 m wide and minimum lot area of 650 m<sup>2</sup>.



# Sustainable and energy efficient

Passive solar design ensures comfortable living spaces and lower energy bills	The simple construction system is suited to prefabricated and standardised elements to reduce cost and construction waste
Daylight and natural ventilation to all spaces creates a healthy home	External materials have longevity for an enduring and high-quality home
The large roof area provides an option for solar panels	The rainwater tank captures roof water for reuse
Windows and doors are shaded from sun and rain by the sculptural hoods	Ceiling fans improve air circulation, energy efficiency and thermal comfort
Careful control of extent of glass maximises light and thermal comfort while minimising cost	All-electric homes provide healthier indoor environment, lower energy bills, and reduced carbon footprint



# Smart and flexible

The flexible front room can be a garage, additional living space or multi-generational bedroom

The rear bedroom can be one large room or can divide to include a private study

A bedroom can be added to the first floor at the rear

The bathroom can be one large room, can have a separated toilet, or can divide to include an ensuite



The kitchen and living areas can be more generous on a wider site

The design can adapt to a site slope of up to 1.4 m front to back or 1.4 m side to side

There is a choice of external materials and colours




## Select 1, 2 or 3

Options for bedroom and study layouts for the second story





## Select 4, 5 or 6

Options for bathroom layouts to suit family or household type




## Select 7, 8 or 9

Garage on ground floor or flexible room for guest room or second living area



Not to scale



Interior view from the kitchen through to the courtyard and rear garden



# SEMIS 02

by Sibling Architecture

Requirements  
and adaptations



# Planning overview

## Where the pattern book applies

The Low and Mid-Rise Housing Policy (the LMR Policy) aims to encourage new housing in well-located areas. The LMR Policy applies in particular well-located residential zones within 800 m walk of town centres and stations across NSW. These are known as LMR housing areas.

### A base pattern for LMR housing areas

A version of each pattern design, or 'base pattern', has been created for low-and mid-rise housing areas (LMR housing area). These have different planning controls reflecting the well-located and connected sites.

### A base pattern for sites outside LMR housing areas

Sites outside low-and mid-rise housing areas (referred to in the pattern book as non-LMR housing areas) are all other locations throughout NSW where these development types are permitted. These base patterns reflect different planning requirements in these areas, such as additional parking.

## Fast-tracked planning pathways for pattern book developments

Pattern book developments are eligible for fast-tracked planning approval. The Pattern Book Development Code 2025 enables pattern book developments to be approved as complying development. An accelerated 10-day approval timeframe applies to pattern book complying development certificates, compared with 20 days for standard residential complying development.

## Excluded land

Like other forms of complying development, pattern book complying development will not be permitted on high-risk or other constrained land such as bushfire-prone and certain flood-prone land. To understand the full list of exclusions, refer to the policy in the State Environmental Planning Policy (Exempt and Complying Development Codes) 2008 (the 'Codes SEPP'). If the land is excluded from complying development, pattern book development can be proposed through the standard development application pathway.

## Design verification statement

Pattern book development approval requires a complying development certificate (CDC) in accordance with part 3BA of the Codes SEPP (as required by section 131A of the Environmental Planning and Assessment Regulation 2021).

To obtain the CDC, the development application must include a written statement from either an architect or accredited designer. The design verification statement must confirm the proposed development will comply with the development standards, site requirements, pre-defined options, technical drawing set and technical information specified in the NSW Housing Pattern Book for the type of development proposed. The architect or accredited designer must confirm that all fixed and adaptable design features required by the pattern are evident in the submitted development proposal.

The statement will help assessors to determine whether a proposed development complies with the original pattern design intent and is eligible to be considered pattern book development.

## Accredited designer

The design verification statement must be completed by an accredited designer or architect. They must include their professional registration in the statement.

## Note to assessors

To be considered pattern book development, it is essential that a proposed development meets its planning obligations. This includes complying with development standards, consistency with the pattern, permissibility, and completion of the design verification statement by an architect or accredited designer. The assessor should ensure these obligations have been met.

## Design integrity

The design integrity of the pattern must be reflected in the submitted design. The submitted design should not be modified beyond the described adaptable features.

## Landscape

Pattern book developments must show how they have considered the *NSW Housing Pattern Book Landscape Guide* which provides advice on creating a landscape plan for the patterns. This includes tree canopy and deep soil requirements, in accordance with the NSW Government *Tree Canopy Guide for Low and Mid Rise Housing*, for different building types. It also includes suggested planting lists.

## Heritage

Pattern book developments via the complying development pathway are not permitted in heritage conservation areas (HCAs) or on heritage sites.

Pattern book development applications within heritage conservation areas need to follow a standard development application process.

## Privacy

Privacy has been addressed within the pattern designs; solutions include providing fixed and optional screening.

## Sustainability

Pattern book developments must achieve BASIX targets and compliance. Each pattern includes guidance on how to achieve the BASIX requirements, along with optional sustainability features such as solar panels and upgraded performance features an applicant may choose to incorporate in their development.

## Solar access and overshadowing

All pattern book developments need to demonstrate that reasonable solar access (as defined in the *Low Rise Housing Diversity Design Guide*\*) is provided to the living rooms and private open spaces of adjoining dwellings.

\*A window that is more than 3 m from the boundary to a living room of an adjoining dwelling is to receive more than 3 hours of direct sunlight between 9 am and 3 pm on the winter solstice (June 21). If the window currently receives less than 3 hours, direct sunlight is not reduced.

# Development standards and planning information for Semis 02 by Sibling Architecture

Developments applying this design from the pattern book must adhere to the planning requirements specified below in order to be eligible for the pattern book fast-tracked planning pathways.

### Type of development – dual occupancy

- Permitted where dual occupancy is currently permitted with consent across NSW
- 2 dwellings
- Suitable for Torrens title

### Building class

- Class 1a

### Pattern adaptation

This design includes fixed and adaptable features which are outlined in this section of this document, and detailed in the technical drawings section of this document. The adaptable features have pre-defined options that must not be modified beyond those designs. The design verification statement must clarify which adaptations and options have been selected for the proposed pattern book development and that the adaptations meet the provided guidance and original design intent.

### Pattern-specific adaptation criteria

#### Site slope

The building can be adapted to suit gently sloping sites as shown in the technical drawings section. This pattern accommodates internal stairs and adjustments of up to 1.4 m front to back, and 1.4 m side to side.

Associated earthworks for the site are permitted in accordance with 3BA.7 of the Codes SEPP.

### Development standards


The below development standards are specific to Semis 02 by Sibling Architecture. They apply where this pattern is proposed as pattern book complying development under State Environmental Planning Policy (Exempt and Complying Development Codes) 2008.

	LMR housing areas	Non-LMR housing areas
Minimum lot size	<i>As defined by LMR reforms (450 m<sup>2</sup> min)</i>	650 m <sup>2</sup> min (must also meet relevant LEP minimum lot size for this development type)
Minimum lot width	<i>As defined by LMR reforms</i> 12 m min	15 m min
Maximum building height	<i>As defined by LMR reforms</i> (9.5 m max)	8.5 m max
Maximum floor space ratio	<i>As defined by LMR reforms</i> (0.65:1 max)	0.65:1 max
Minimum front setback	6.9 m min <i>Except where site has rear-lane access for car parking, then min front setback is 4.5 m</i>	6.9 m minimum setback Or, not less than the average setback from the primary road of the nearest 2 dwelling houses within 40 m of the lot and on the same side of the primary road, whichever is greater
Minimum side setbacks	1.1 m min	0.9 m min
Minimum rear setback	7.5 m min	12.5 m min
Minimum secondary street setback	2.0 m min	2.0 m min
Minimum landscaped area	25%	25%
Minimum off-street parking spaces per dwelling	<i>As defined by LMR reforms</i> (A minimum of 1 car parking space per dwelling)	A minimum of 1 car parking space per dwelling


### Notes on development standards

Minimum lot size and adaptations	The minimum lot size represents the base pattern design for a mid-block site with optimum orientation. The pattern adaptation pages included in requirements and adaptations pages along with technical drawings section provide guidance on adapting the base plan for different site positions (mid-block, corner, laneway), orientations and inclusions.
Minimum lot width	The minimum lot width is measured at the front building line.
Floor space ratio	The planning table shows the maximum possible FSR for the pattern when selecting all adaptations and options. The base patterns FSR as shown are: <ul style="list-style-type: none"><li>— LMR housing area 0.56:1 FSR</li><li>— Non-LMR housing area 0.47:1 FSR</li></ul>
Height	The base pattern height as drawn is 7.0 m high. The maximum building height in the development standards (left) allows for adaptation to slope on the subject site.
Parking provision	A maximum 1 out of 2 dwellings may incorporate a garage for the dual occupancy patterns. Parking is alternatively provided as hardstand. Refer to requirements and adaptations section.


LMR housing area




LMR base pattern -ground floor  
House 01-1 bed, 1 bath to front room  
House 02-with garage  
Lot size: 450 m<sup>2</sup> min  
Front setback: 7.4 m min




LMR base ground floor -adaptation 01  
House 01 and 02 -1 bed, 1 bath to front room  
Lot size: 450 m<sup>2</sup> min  
Front setback: 7.4m min




LMR base first floor  
2 bed  
Optional bathroom layouts




LMR base first floor -adaptation 01  
Option for 2 or 3 bed arrangement  
Optional bathroom layouts




LMR plus pattern -ground floor  
Extra hallway width + carport for gold level livability  
House 01 and 02 - 1 bed, 1 bath to front room  
Lot size: 510m<sup>2</sup> min  
Front setback: 7.4m min



LMR plus ground floor -adaptation 01  
House 01 (gold) - 1 bed, 1 bath to front room  
House 02 (silver)-garage to front room  
Lot size: 510 m<sup>2</sup> min  
Front setback: 7.4 m min




LMR plus first floor  
2 bed  
Optional bathroom layouts




LMR plus first floor -adaptation 01  
Option for 2 or 3 bed arrangement  
Optional bathroom layouts


Non-LMR housing area



Non-LMR base pattern -ground floor  
House 01 and 02- 1 bed, 1 bath to front room  
Lot size: 650 m<sup>2</sup> min  
Front setback: 7.4 m min



Non-LMR ground floor -adaptation 01  
House 01 (gold) - 1 bed, 1 bath to front room  
House 02 (silver)-garage to front room  
Lot size: 650 m<sup>2</sup> min  
Front setback: 7.4 m min



Non-LMR first floor  
3 bed  
Optional bathroom layouts

LMR base - garage to ground floor

LMR base -1 bed, 1 bath ground floor

LMR plus -1 bed, 1 bath ground floor

LMR plus -garage to ground floor

Non-LMR -1 bed, 1 bath ground floor

Non-LMR -garage to ground floor

Skylight option

Option to extend coutryard

Not to scale

N

Pattern adaptations

Dwellings (LMR and non-LMR base patterns)  
These diagrams demonstrate the dwelling combinations available for this pattern.

These should be read in combination with the LMR housing area and non-LMR housing area siting and orientation guidance to determine the most suitable combinations and approach for your specific site.

# Location requirements

## Siting and orientation adaptations (LMR base pattern)


These plans demonstrate siting and orientation principles for this pattern in the **LMR housing areas**, adapting to suit mid-block, corner, and rear-lane lots.

Pattern sites must:

- meet minimum lot width and areas
- meet minimum setbacks and landscape areas. Refer to the planning pages of this document for further detail.
- have driveways located a min 6 m from intersections. Confirm with local authorities if additional rules apply.

The examples also show the siting response to orientation. Analyse the drawing to find the most relevant example for your site, which shows recommended siting, driveway locations and opportunities to adjust for orientation.

Using this guidance, refer to the **LMR site plan** to begin adaptation to your site, and to the slope adaptation pages for topography.



- LMR base - garage to ground floor
  - LMR base - 1 bed, 1 bath ground floor
  - LMR plus - 1 bed, 1 bath ground floor
  - LMR plus - garage to ground floor
  - Non-LMR - 1 bed, 1 bath ground floor
  - Non-LMR - garage to ground floor
  - Skylight option
  - Option to extend courtyard
- Not to scale


### Siting and orientation adaptations (non-LMR base pattern)

Pattern sites must:

- The examples also shows the siting response to orientation. Analyse the drawing to find the most relevant example for your site, which shows recommended siting, driveway locations and opportunities to adjust for orientation.

Not to scale  $(-)$

Materials palette 01



**A Green palette**

**FC1** - Painted FC sheets  
Light Green - RGB 176, 180, 154

**FC2** - Painted FC sheets  
Mid Green - RGB 183, 186, 166

**PF1** - Paint / powdercoat finish  
Deep Green - RGB 142,81,67

**BR1** - white brick (stretch bond)  
**BR2** - white brick (stack bond)

**B Terracotta palette**


**FC3** - Painted FC sheets  
Pink - RGB 226,197,186

**FC4** - Painted FC sheets  
Terracotta - RGB 196, 142, 125

**PF2** - Paint / powdercoat finish  
Deep Red - RGB 142,81,67

**BR3** - red brick (stretch bond)  
**BR4** - red brick (stack bond)

Materials palette 02



**A Green palette**

**FC1** - Painted FC sheets  
Light Green - RGB 176, 180, 154

**FC2** - Painted FC sheets  
Mid Green - RGB 183, 186, 166

**PF1** - Paint / powdercoat finish  
Deep Green - RGB 142,81,67

**BR1** - white brick (stretch bond)  
**BR2** - white brick (stack bond)

**D Grey palette**


**FC7** - Painted FC sheets  
Light Grey - RGB 230, 230, 230

**FC8** - Painted FC sheets  
Mid Grey - RGB 207, 208, 209

**PF4** - Paint / powdercoat finish  
Warm Grey - RGB 177, 173, 163

**BR7** - grey brick (stretch bond)  
**BR8** - grey brick (stack bond)

Materials palette 03



**B Terracotta palette**

**FC3** - Painted FC sheets  
Pink - RGB 226,197,186

**FC4** - Painted FC sheets  
Terracotta - RGB 196, 142, 125

**PF2** - Paint / powdercoat finish  
Deep Red - RGB 142,81,67

**BR3** - red brick (stretch bond)  
**BR4** - red brick (stack bond)

**C Creamy palette**


**FC5** - Painted FC sheets  
Cream - RGB 238, 236, 228

**FC6** - Painted FC sheets  
Beige - RGB 220, 211, 193

**PF3** - Paint / powdercoat finish  
Cream - RGB 142,81,67

**BR5** - cream brick (stretch bond)  
**BR6** - cream brick (stack bond)

Materials palette 04



**C Creamy palette**

**FC5** - Painted FC sheets  
Cream - RGB 238, 236, 228

**FC6** - Painted FC sheets  
Beige - RGB 220, 211, 193

**PF3** - Paint / powdercoat finish  
Cream - RGB 142,81,67

**BR5** - cream brick (stretch bond)  
**BR6** - cream brick (stack bond)

**A Green palette**

**FC1** - Painted FC sheets  
Light Green - RGB 176, 180, 154

**FC2** - Painted FC sheets  
Mid Green - RGB 183, 186, 166

**PF1** - Paint / powdercoat finish  
Deep Green - RGB 142,81,67

**BR1** - white brick (stretch bond)  
**BR2** - white brick (stack bond)

General finishes

**RO1** - prefinished metal roof  
0.7 SA - RGB 228, 226, 213

**MT1** - aluminium window frame  
Anodized clear natural

**CN1** - concrete pedestal paver  
honed cream, contrast aggregate

Pattern adaptations

Material selections

The patterns are available in a variety of material finishes, allowing flexibility to suit both user preferences and the unique character of each location. When selecting a material palette from these options, consider how it complements the existing streetscape.

Refer to the technical documentation for further detail on materials.

# Pattern selections template

Using this guide, site owners and designers can map how this housing pattern will be adapted to suit the specific site and meet the needs of the future occupants.

### Completing this page will:

- enable you to confirm the site meets the location type, minimum frontage and area requirements of this pattern
- consider the dwelling mix and inclusions of each dwelling
- review the lot features such as orientation and slope to inform which pattern adaptations need to be used
- consider the material palette and character options available
- allow the designer, builder or cost planner to prepare the project-specific drawing set and begin feasibility costings.

Site location	Semis 02 pattern		Lot features	Building character
<p>Confirm lot size and lot width meets minimum area for site location</p> <div><div><input type="checkbox"/> <b>LMR housing area site</b> 450 m<sup>2</sup> (min) lot size 12 m (min) lot width <small>*Allows ABCB livable design standard (silver)</small></div><div><input type="checkbox"/> <b>LMR housing area site</b> 510 m<sup>2</sup> (min) lot size 13.5 m (min) lot width <small>*Allows ABCB livable beyond minimum design standard (gold)</small></div><div><input type="checkbox"/> <b>Non-LMR housing area site</b> 650 m<sup>2</sup> (min) lot size 15 m (min) lot width <small>*allows expanded living design option</small></div></div>	<div><div><b>House 1 base pattern</b> 2 bed 1.5 bath 1 living 1 car space (garage)</div><div><b>Adapt for preference</b><div><input type="checkbox"/> extra bedroom upstairs (on 15 m+ lot size)</div><div><b>Ground floor select applicable</b><div><input type="checkbox"/> flexible room and bathroom in lieu of garage<input type="checkbox"/> wider kitchen and living (on 15 m+ lot size)</div><div><b>Kitchen select one</b><div><input type="checkbox"/> U-shape<input type="checkbox"/> L-shape and island bench</div><div><b>First floor bathrooms select one</b><div><input type="checkbox"/> single family bathroom<input type="checkbox"/> 1 bathroom + 1 ensuite<input type="checkbox"/> 3-way bathroom</div></div></div></div></div></div>	<div><div><b>House 2 base pattern</b> 2 bed 2 bath 1 living + 1 flexible room 1 car space (hardstand)</div><div><b>Adapt for preference</b><div><input type="checkbox"/> extra bedroom upstairs (on 15 m+ lot size)</div><div><b>Ground floor select applicable</b><div><input type="checkbox"/> wider kitchen / living (on 15 m+ frontage site only)</div><div><b>Kitchen select one</b><div><input type="checkbox"/> U-shape<input type="checkbox"/> L-shape + island bench</div><div><b>First floor bathrooms select one</b><div><input type="checkbox"/> single family bathroom<input type="checkbox"/> 1 bathroom + 1 ensuite<input type="checkbox"/> 3-way bathroom</div></div></div></div></div></div>	<p>Refer to site plans and pattern adaptations – location requirements for details</p> <div><div><b>Lot type select one</b><div><input type="checkbox"/> standard mid-block<input type="checkbox"/> rear-lane lot<input type="checkbox"/> corner lot</div><div><b>Frontage orientation</b><div><input type="checkbox"/> north<input type="checkbox"/> east<input type="checkbox"/> south<input type="checkbox"/> west</div><div><b>Site slope select one</b><div><input type="checkbox"/> flat site<input type="checkbox"/> slope up to 1.4 m front to back<input type="checkbox"/> slope up to 1.4 m side to side</div></div></div></div></div>	<p>Refer to material palette guidance page and illustrative images pages for details</p> <div><div><b>Material palette select one</b><div><input type="checkbox"/> material palette 1<input type="checkbox"/> material palette 2<input type="checkbox"/> material palette 3<input type="checkbox"/> material palette 4</div><div><b>Additional features</b><div><input type="checkbox"/> skylight to living<input type="checkbox"/> window shading device for west / east facing windows</div></div></div></div>
<p>The site location and available adaptations are described in the pattern adaptations, and site plan pages.</p>	<p>The base pattern represents the available pattern design, with description of the adaptations available to suit your preferences. To understand the extent of options available refer to the technical drawings section and review the base pattern plans and available adaptations.</p>		<p>Lot features and adaptations to suit lot orientation are described on pattern adaptations – location requirements pages with further guidance on specific orientation and slope features on the larger scale plans, sections and elevations in the technical drawings section.</p>	<p>The pattern offers material palette options to suit user choice. Refer to the material palette guidance page, and included illustrative images for further information.</p> <p>Refer to instructions for designers pages for the next steps, including how to use this page as part of your application.</p>

# Instructions for designers

## Preparing your submission for approvals

The drawings and designs provided in the pattern have been completed to a development application level of resolution to fast-track the preparation of application plans and documents specific to your site. Note that applications for pattern book projects, as complying development via the Pattern Book Development Code 2025, will require development of further documentation, as required for certification as complying development.

Guided by the pattern drawings and information, consider the design features and inclusions, along with the adaptations required to use the pattern on the subject site.

In addition to the information in this pattern package, a licensed package is available for purchase. This includes further technical information in PDF and DWG format. This will enable the designer to adapt the pattern to your site-specific design for the preparation of your planning application..

The table on this page lists typical inclusions for development applications and notes which are included in the pattern package. Proponents and designers will need to confirm all application requirements specific to their site and chosen planning pathway.

Typical architectural drawings	Pattern book drawing reference
Site analysis plan	Site specific
Site plan	Site specific Refer site plans A-301 / A-311 along with pattern adaptations – location requirements pages
Demolition plan (if applicable)	Site specific
Floor plan	Refer LMR base pattern A-300 series / Non-LMR base patterns A-310 series and pattern planning adaptations A-320 series
Sections	Refer to sections and slope guidance A-330 series
Elevations	Refer elevations and elevation guidance A-340 series
Shadow diagrams	Site specific
Schedule of colours, materials and finishes	Refer A-350 series for guidance on character and materials selections
3D views	Refer A-350 series and the pattern package
Services plan	Refer A-401 series for suggested services plan and considerations
Door and window schedule	Refer A-410 series. Note specific requirements for window performance will need to align with the BASIX certificate and thermal assessment
Construction and character details	Refer A-420 series. Indicative details have been provided for the pattern's key character details. Proponents will need to undertake their own due diligence and review

Typical reports and specifications	Pattern book drawing reference
Pattern license terms and conditions	Required
Design verification statement	Template provided
BASIX certificate	Guidance provided for each pattern; refer separate attachment
Survey plan	
Subdivision plan (if applicable)	Refer site plans A-301 / A-311 for base pattern lots
Landscape plan	Refer to the pattern book landscape guidance for preparation of a site specific landscape plan
Section 138 driveway crossing approval	
Waste management plan	
Excavation and/or fill plan	
Erosion and sediment control plan	
Stormwater management plan	
Building specifications	
Quantity surveyors report	
Other reports*	Subject to the site-specific conditions and approval pathway, a number of reports, studies and/or specifications may be required. Consult with the certifier or consent authority to confirm required forms, reports and authority approvals that may be applicable to your project.

## Units and measurement

The pattern designs have been drafted to standard drawing scales. Site measurements are generally identified as minimum, allowing users to adjust the pattern to the specific site shape and size. Should discrepancies exist, refer to the development standards table. Measurements for sites have been rounded to the nearest 0.1 m, while areas have been rounded up or down to the nearest 5 m².

## NCC compliance

The low-rise pattern designs offered in the NSW Housing Pattern Book are capable of compliance with the National Construction Code (NCC) 2022 subject to final technical specifications and details.

The semi-detached, terrace and multi-dwelling patterns are Class 1a buildings. The manor house is defined as a Class 2 building. Additional compliance measures and reporting are required for Class 2 under the *Design and Building Practitioners Act 2020*. For this type of development the proponent is required to engage a practitioner registered with the NSW Design and Building Practitioners (DBP) scheme.

## Universal design

Low-rise pattern book dwellings must comply with the Australian Building Codes Board (ABCB) Livable Housing Design Standard, which has been adapted from the ‘silver’ level requirements of the Livable Housing Association (LHA) Livable Housing Design Guidelines. Several of the patterns include options for adapting one or all of the dwellings in the development to achieve the ABCB ‘voluntary standard’ (‘beyond minimum’) set out in the ABCB Voluntary Standard for Livable Housing Design: Beyond Minimum. The ABCB voluntary standard has been adapted from the LHA ‘gold’ level requirements.

For details of differences between Class 1a and 2 requirements, examples and exemptions refer to the [ABCB Livable Housing Design Handbook](#).

## Site slope

The pattern designs can be modified to suit gently sloping sites. The scope for this is documented in the pattern plans and sections.

As patterns are adjusted to meet the specific site conditions, design considerations include:

- maintaining paths of travel to front doors according to the ABCB Livable Housing Design Standard
- potential for and locations of retaining walls. Refer to the complying development conditions for permitted excavation and retaining walls
- stormwater management and drainage systems.

## Driveways and driveway crossings

The location of the driveway and driveway crossing is shown on the plans. Proponents must ensure the design meets the requirements of Australian Standard AS 2890.1:2004 *Parking facilities, Part 1: Off-street car parking*.

AS 2890.1 prescribes sight lines for pedestrian safety, to maintain clear visibility for drivers leaving a car space and for pedestrians on a nearby footpath. The design needs to ensure:

- the pedestrian sight line for the driveway fits wholly on the site and can be kept clear of obstructions over 800 mm in height, or
- if not able to sit wholly within the site, the fencing and any landscape constructions are kept below 800 mm height for the zone. In some instances this may require agreement with neighbouring parties.

Driveways should not be affected by existing structures such as street trees, earth mounds, bus shelters, power poles and other physical features. Removal of such features may be permitted subject to council approval.

All driveways should be permeable to reduce stormwater runoff. To meet the requirements of the ABCB Livable Housing Design Standard driveways must be step free.

## Construction systems and materials

The construction system for the pattern designs provides efficient and coordinated planning, aligning load paths, wet areas and service risers where practical. Specific materials have been selected for the external elevations and character as shown on the materials pages.

Generally, the pattern assumes the buildings have slab-on-ground concrete slab at ground level and timber framing for walls, upper floors and roofs. Tolerances are included within the designs presented to allow proponents to adjust the floor, wall and roof systems to suit their own desired methodology. Each pattern user will need to review this in preparing the construction documentation with their designer, builder and cost planner.

Where possible spans across rooms and openings have been strategically considered to allow for standard framing techniques and limit the use of steel, subject to the specific project's structural engineer's design.

Party walls are generally assumed to be masonry, however there is allowance to accommodate a number of available party wall systems. The project team will need to select the party wall system to meet the fire and acoustic requirements of the NCC, as well as their BASIX and thermal certification.

Note that the manor house design is NCC Class 2 construction and has additional fire and compliance requirements that need to be met. Work with your accredited DBP practitioner and certifier to achieve compliance.

## Waste bins

The preferred location for bin storage is shown on the plans allowing 3 x standard 240 L bins for waste, recycling, and FOGO (food organics and garden organics).

In some locations, councils may allow smaller 120 L bins. This needs to be confirmed for the local area.

Space for kerbside waste collection has been considered in the pattern design (based on a NSW-wide review of kerbside waste collection). Applicants need to review whether this is suitable for the specific site conditions.

## Services provision

The pattern designs have had early consideration of services and integrating service spaces into the designs. Below is a description of the service provisions and assumptions of the pattern designs.

### Electrical

All dwellings are to be fully electric.

Allowance has been made for heat pump hot water units.

Provision for meter boards and distribution boards is shown on the servicing page. Side gates should be located so meter panels can be accessed from outside the gate.

All patterns allow for photovoltaic solar panel installation to the roof areas with allowance made for inverter installation near the meter board. This will need to be coordinated with any other toilet vents, pipes or roof access equipment.

A 15 A outlet will be required in the garage for potential electric vehicle (EV) charging.

## NBN

Consideration has been made for National Broadband Network (NBN) connection to the dwellings, subject to service provider availability. Refer to the services diagram for further detail and proposed location of the NBN premises connection device.

## Water and hydraulic services

Rainwater tanks have been incorporated into the designs as shown. At a minimum these are to be used for landscape watering, however they can also be connected to toilets and the cold tap of washing machines. For further detail refer to the BASIX guidance and confirm alignment with the commitments on the BASIX certificate.

Water meters are to be provided for the dwelling in accordance with water authority requirements.

## Civil and stormwater

The design of stormwater systems is site specific, and subject to location, slope and ground conditions. Applicants will need to engage a suitably qualified engineer to confirm the stormwater system design and layout.

The pattern designs include suggested location for on-site detention (OSD) areas, along with details of downpipes, rainwater collection, and drainage for paved or concreted areas.

## Mechanical

The ability to accommodate air-conditioning systems has been reviewed for the patterns. Pattern applicants will need to assess the requirements for integrated or wall-mounted units, along with the BASIX commitments.


# SEMIS 02



by Sibling Architecture

Technical  
drawings





Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue





Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue





Pattern Code  
Name

**SD02**  
**Semis 02**  
**by Sibling Architecture**

Drawing No. **A-303**


Name **First Floor Plan**  
**LMR Housing Area**



Scale **1 : 100 @ A3**







Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue





Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



# NSW HOUSING PATTERN BOOK



© State of New South Wales (Department of Planning, Housing and Infrastructure) 2025  
Government Architect NSW for New South Wales Department of Planning, Housing and Infrastructure (GANSW) has approved this pattern for inclusion in the Housing Pattern Book. This Pattern is an indicative design for planning application purposes and is not suitable for construction. GANSW accepts no responsibility or liability in relation to use of this Pattern or any resulting built outcome. It is the sole responsibility of each Pattern user to make their own enquiries and obtain professional advice in relation to approvals, compliance, and construction of this Pattern. Any use of this Pattern must be in accordance with the [Terms and Conditions](#), which may be retracted or amended by GANSW at any time. Any misuse may be prosecuted.

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



Pattern Code  
Name  
**SD02**  
**Semis 02**  
**by Sibling Architecture**

Drawing No. **A-313**  
Name **First Floor**  
**Non-LMR Housing Areas**  
Scale **1 : 100 @ A3**



© State of New South Wales (Department of Planning, Housing and Infrastructure) 2025  
Government Architect NSW for New South Wales Department of Planning, Housing and Infrastructure (GANSW) has approved this pattern for inclusion in the Housing Pattern Book. This Pattern is an indicative design for planning application purposes and is not suitable for construction. GANSW accepts no responsibility or liability in relation to use of this Pattern or any resulting built outcome. It is the sole responsibility of each Pattern user to make their own enquiries and obtain professional advice in relation to approvals, compliance, and construction of this Pattern. Any use of this Pattern must be in accordance with the [Terms and Conditions](#), which may be retracted or amended by GANSW at any time. Any misuse may be prosecuted.

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue

Pattern Code  
Name


**SD02**  
**Semis 02**  
**by Sibling Architecture**

Drawing No.	<b>A-314</b>
Name	<b>Roof Plan</b> <b>Non-LMR Housing Areas</b>
Scale	<b>1 : 100 @ A3</b>




Adaptations - Ground Floor  
Refer to drawings from A-300 series


GROUND FLOOR KEY - GARAGE



A: INTEGRATED GARAGE




B: GROUND FLOOR BED / FLEX AND BATHROOM




Adaptations - First Floor Bedrooms  
Refer to drawings from A-300 series


FIRST FLOOR KEY - BEDROOM




A: LARGE BEDROOM



B: BEDROOM AND STUDY (13.5M WIDE SITE+ ONLY)




C: X2 BEDROOM (13.5M WIDE SITE+ ONLY)




Adaptations - First Floor Bathrooms  
Refer to drawings from A-300 series


FIRST FLOOR KEY - BATHROOM




A: LARGE BATHROOM



B: SEPARATE WC









C: ENSUITE AND BATHROOM



Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue





Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



© State of New South Wales (Department of Planning, Housing and Infrastructure) 2025  
Government Architect NSW for New South Wales Department of Planning, Housing and Infrastructure (GANSW) has approved this pattern for inclusion in the Housing Pattern Book. This Pattern is an indicative design for planning application purposes and is not suitable for construction. GANSW accepts no responsibility or liability in relation to use of this Pattern or any resulting built outcome. It is the sole responsibility of each Pattern user to make their own enquiries and obtain professional advice in relation to approvals, compliance, and construction of this Pattern. Any use of this Pattern must be in accordance with the [Terms and Conditions](#), which may be retracted or amended by GANSW at any time. Any misuse may be prosecuted.

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue





Pattern Code  
Name

SD02  
Semis 02  
by Sibling Architecture




Drawing No.  
Name  
Scale

A-324  
First Floor Plan  
Base Pattern Plus  
LMR Housing Area  
1 : 100 @ A3









Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue




Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue




**1** Elevation  
Short Slope






**2** Section  
Short Slope

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue






1 Section  
Long Slope







Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue








Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue




Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue




GENERAL FINISHES



RO1 - prefinished metal roof  
0.7 SA - RGB 228, 226, 213




MT1 - aluminium window frame  
Anodized clear natural




CN1 - concrete pedestal paver  
honed cream, contrast aggregate

A GREEN PALETTE



FC1 - Painted FC Sheets  
Light Green - RGB 225, 222, 213



FC2 - Painted FC Sheets  
Mid Green - RGB 163, 165, 152



PF1 - Paint / Powdercoat Finish  
Pale Eucalypt - RGB 120, 134, 111



BR1 - off white brick (stretch bond)  
BR2 - off white brick (stack bond)

B TERRACOTTA PALETTE




FC3 - Painted FC Sheets  
Pink - RGB 216, 194, 187



FC4 - Painted FC Sheets  
Terracotta - RGB 215, 177, 162



PF2 - Paint / Powdercoat Finish  
Deep Red - RGB 168, 71, 51



BR3 - red brick (stretch bond)  
BR4 - red brick (stack bond)

C CREAMY PALETTE



FC5 - Painted FC Sheets  
Cream - RGB 220, 211, 204



FC6 - Painted FC Sheets  
Beige - RGB 176, 159, 152



PF3 - Paint / Powdercoat Finish  
Cream - RGB 224, 203, 172



BR5 - cream brick (stretch bond)  
BR6 - cream brick (stack bond)

D GREY PALETTE



FC7 - Painted FC Sheets  
Light Grey - RGB 230, 230, 230




FC8 - Painted FC Sheets  
Mid Grey - RGB 125, 123, 136



PF4 - Paint / Powdercoat Finish  
Warm Grey - RGB 177, 173, 163



BR7 - grey brick (stretch bond)  
BR8 - grey brick (stack bond)



A GREEN PALETTE



FC1 - Painted FC Sheets  
Light Green - RGB 209, 204, 194



FC2 - Painted FC Sheets  
Mid Green - RGB 189, 186, 164




PF1 - Paint / Powdercoat Finish  
Pale Eucalypt - RGB 131, 136, 118



BR1 - off white brick (stretch bond)  
BR2 - off white brick (stack bond)

B TERRACOTTA PALETTE



FC3 - Painted FC Sheets  
Pink - RGB 216, 194, 187



FC4 - Painted FC Sheets  
Terracotta - RGB 215, 177, 162




PF2 - Paint / Powdercoat Finish  
Deep Red - RGB 168, 71, 51



BR3 - red brick (stretch bond)  
BR4 - red brick (stack bond)

Rev	Date	Description



A GREEN PALETTE



FC1 - Painted FC Sheets  
Light Green - RGB 209, 204, 194



FC2 - Painted FC Sheets  
Mid Green - RGB 189, 186, 164



PF1 - Paint / Powdercoat Finish  
Pale Eucalypt - RGB 131, 136 118



BR1 - off white brick (stretch bond)  
BR2 - off white brick (stack bond)

D GREY PALETTE



FC7 - Painted FC Sheets  
Light Grey - RGB 230, 230, 230



FC8 - Painted FC Sheets  
Mid Grey - RGB 125, 123, 136




PF4 - Paint / Powdercoat Finish  
Warm Grey - RGB 177, 173, 163




BR7 - grey brick (stretch bond)  
BR8 - grey brick (stack bond)


Rev	Date	Description



**B** TERRACOTTA PALETTE



FC3 - Painted FC Sheets  
Pink - RGB 216, 194, 187



FC4 - Painted FC Sheets  
Terracotta - RGB 215, 177, 162




PF2 - Paint / Powdercoat Finish  
Deep Red - RGB 168, 71, 51



BR3 - red brick (stretch bond)  
BR4 - red brick (stack bond)

**C** CREAMY PALETTE



FC5 - Painted FC Sheets  
Cream - RGB 220, 211, 204



FC6 - Painted FC Sheets  
Beige - RGB 176, 159, 152




PF3 - Paint / Powdercoat Finish  
Cream - RGB 224, 203, 172




BR5 - cream brick (stretch bond)  
BR6 - cream brick (stack bond)

Rev	Date	Description



**C CREAMY PALETTE**



FC5 - Painted FC Sheets  
Cream - RGB 220, 211, 204



FC6 - Painted FC Sheets  
Beige - RGB 176, 159, 152



PF3 - Paint / Powdercoat Finish  
Cream - RGB 224, 203, 172



BR5 - cream brick (stretch bond)  
BR6 - cream brick (stack bond)

**A GREEN PALETTE**



FC1 - Painted FC Sheets  
Light Green - RGB 209, 204, 194



FC2 - Painted FC Sheets  
Mid Green - RGB 189, 186, 164



PF1 - Paint / Powdercoat Finish  
Pale Eucalypt - RGB 131, 136, 118



BR1 - off white brick (stretch bond)  
BR2 - off white brick (stack bond)

Rev	Date	Description



Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue



**NSW HOUSING  
PATTERN BOOK**

GOVERNMENT  
ARCHITECT  
NEW SOUTH WALES



© State of New South Wales (Department of Planning, Housing and Infrastructure) 2025  
Government Architect NSW for New South Wales Department of Planning, Housing and Infrastructure (GANSW) has approved this pattern for inclusion in the Housing Pattern Book. This Pattern is an indicative design for planning application purposes and is not suitable for construction. GANSW accepts no responsibility or liability in relation to use of this Pattern or any resulting built outcome. It is the sole responsibility of each Pattern user to make their own enquiries and obtain professional advice in relation to approvals, compliance, and construction of this Pattern. Any use of this Pattern must be in accordance with the [Terms and Conditions](#), which may be retracted or amended by GANSW at any time. Any misuse may be prosecuted.

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue

SIBLING

Pattern Code  
Name  
**SD02**  
**Semis 02**  
**by Sibling Architecture**

Drawing No. **A-357**  
Name **Backyard Illustration 01**  
**Semi Private / Private**  
Scale **Not to Scale**



NSW HOUSING  
PATTERN BOOK

GOVERNMENT  
ARCHITECT  
NEW SOUTH WALES



© State of New South Wales (Department of Planning, Housing and Infrastructure) 2025  
Government Architect NSW for New South Wales Department of Planning, Housing and Infrastructure (GANSW) has approved this pattern for inclusion in the Housing Pattern Book. This Pattern is an indicative design for planning application purposes and is not suitable for construction. GANSW accepts no responsibility or liability in relation to use of this Pattern or any resulting built outcome. It is the sole responsibility of each Pattern user to make their own enquiries and obtain professional advice in relation to approvals, compliance, and construction of this Pattern. Any use of this Pattern must be in accordance with the [Terms and Conditions](#), which may be retracted or amended by GANSW at any time. Any misuse may be prosecuted.

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue

SIBLING

Pattern Code  
Name  
**SD02**  
**Semis 02**  
**by Sibling Architecture**

Drawing No. **A-358**  
Name **External Illustrations 01**  
Scale **Not to Scale**



NSW HOUSING  
PATTERN BOOK

GOVERNMENT  
ARCHITECT  
NEW SOUTH WALES



© State of New South Wales (Department of Planning, Housing and Infrastructure) 2025  
Government Architect NSW for New South Wales Department of Planning, Housing and Infrastructure (GANSW) has approved this pattern for inclusion in the Housing Pattern Book. This Pattern is an indicative design for planning application purposes and is not suitable for construction. GANSW accepts no responsibility or liability in relation to use of this Pattern or any resulting built outcome. It is the sole responsibility of each Pattern user to make their own enquiries and obtain professional advice in relation to approvals, compliance, and construction of this Pattern. Any use of this Pattern must be in accordance with the [Terms and Conditions](#), which may be retracted or amended by GANSW at any time. Any misuse may be prosecuted.

Rev	Date	Description
Rev1.01	July 2025	Patternbook Issue

SIBLING

Pattern Code  
Name  
**SD02**  
**Semis 02**  
**by Sibling Architecture**

Drawing No. **A-359**  
Name **External Illustrations 02**  
Scale **Not to Scale**